

EAST Search History

S1	226	(4617566" 4680704" 4688038" 4700280" 4868877" 4964138" 51 51866" 5239584" 4827514" 4912 722" 5053766" 5115448" 519486 0" 5214587" 5229996" 5260943" 5285469" 5319679" 5345225" 5359625" 5383134" 5432507" 54 61558" 5544036" 5559870" 5592 470" 5640679" 6067029" 607317 4" 6078251" 4209826" 4611333" 4707852" 4841545" 5032833" 5140511" 5287287" 5619685" 59 10799" 6000034" 3858212" 3973 240" 4056107" 4156273" 420419 5" 4250489" 4254472" 4319358" 4321582" 4361890" 4389702" 4405829" 4415896" 4466001" 45 04831" 4506386" 4525861" 4566 060" 4608699" 4628313" 463829 8" 4692761" 4713837" 4728950" 4734680" 4749992" 4757456" 4769772" 4783748" 4839645" 48 60379" 4862493" 4866587" 4884 021" 4922399" 4940976" 495676 1" 4958359" 4965533" 4972507" 4975592" 5019955" 5022046" 5053774" 5056107" 5079715" 50 86292" 5090024" 5132985" 5136 614" 5155481" 5166664" 517776 7" 5179376" 5225994" 5228029" 5239575" 5243338" 5252967" 5270704" 5280498" 5280499" 52 89497" 5307349" 5315531" 5381 462" 5384712" 5387873" 540649 5" 5416917" 5420799" 5432815" 5438329" 5448570" 5450088" 5452465" 5455544" 5457621" 54 73322" 5475742" 5475867" 5491 473" 5493287" 5495239" 549742 4" 5511188" 5519388" 5526389" 5528597" 5539775" 5541589" 5553094" 5590179" 5602744" 56 31636" 5691715" 5696765" 5715 390" 5748104" 5751914" 575196 1" 5754772" 5696501" 5778368" 5787437" 5790789" 5805712" 5808558" 5822521" 5862391" 58 72774" 5874903" 5875183" 5875 402" 5897607" 5898387" 594337 5" 5963146" 6041056" 6078909" 6088659" 6112192" 6150955" 6160993" 6172616" 6199068" 62 46677" 3455815" 3878512" 3976 941" 4031513" 4132981" 419080 0" 4218737" 4438485" 4497017" 4600923" 4607320" 4614945" 4622627" 4623960" 4631538" 46 44321" 4653076" 4724435" 4749 007" 4761775" 4840074" 506713	USPAT	OR	OFF	2005/06/22 16:04
9/5/06 11:09:19 AM C:\Documents and Settings\SP Patel\My Documents\EAST\Workspaces\10-803213.wsp					Page 2	

EAST Search History

S2	62	S1 and meter and power adj supply	USPAT	OR	OFF	2005/06/22 16:04
S3	9	S1 and meter and power adj supply and ac with dc	USPAT	OR	OFF	2005/06/22 16:05
S4	11	S1 and meter and power adj supply and ac and dc and diode	USPAT	OR	OFF	2005/06/22 16:40
S5	541	power adj supply with ac with dc with diode	USPAT	OR	OFF	2005/06/22 16:42
S6	3	power adj supply with ac with adjust\$4 with dc with diode	USPAT	OR	OFF	2005/06/22 16:57
S7	252	power adj supply same adjust\$4 with ac with dc	USPAT	OR	OFF	2005/06/22 16:59
S8	19	power adj supply same adjust\$4 adj ac with dc	USPAT	OR	OFF	2005/06/22 17:03
S9	28	power adj supply same adjust\$4 adj dc with ac	USPAT	OR	OFF	2005/06/22 17:05
S10	0	power adj supply same adjust\$4 adj dc adj for adj ac	USPAT	OR	OFF	2005/06/22 17:05
S11	1830	(meter with comprising and power adj supply)	USPAT	OR	OFF	2005/06/22 17:29
S12	148	(meter with comprising with power adj supply)	USPAT	OR	OFF	2005/07/28 16:20
S13	209	(dc adj power with bias with ac with power)	USPAT	OR	OFF	2005/07/28 16:21
S14	10	(dc adj power with bias with ac with power) and "324"/\$.ccls.	USPAT	OR	OFF	2005/07/28 16:31
S15	19	(dc adj power with bias with ac with power) and meter	USPAT	OR	OFF	2005/07/28 16:31
S16	0	create with desir\$3 with dc with bias\$3 with voltage and diode and capacitor and power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:18
S17	0	creat\$4 with desir\$3 with dc with bias\$3 with voltage and power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:19
S18	157	creat\$4 with dc with bias\$3 with voltage and power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:18

EAST Search History

S21	226	(("4617566" "4680704" "4688038" "4700280" "4868877" "4964138" "5151866" "5239584" "4827514" "4912722" "5053766" "5115448" "5194860" "5214587" "5229996" "5260943" "5285469" "5319679" "5345225" "5359625" "5383134" "5432507" "5461558" "5544036" "5559870" "5592470" "5640679" "6067029" "6073174" "6078251" "4209826" "4611333" "4707852" "4841545" "5032833" "5140511" "5287287" "5619685" "5910799" "6000034" "3858212" "3973240" "4056107" "4156273" "4204195" "4250489" "4254472" "4319358" "4321582" "4361890" "4389702" "4405829" "4415896" "4466001" "4504831" "4506386" "4525861" "4566060" "4608699" "4628313" "4638298" "4692761" "4713837" "4728950" "4734680" "4749992" "4757456" "4769772" "4783748" "4839645" "4860379" "4862493" "4866587" "4884021" "4922399" "4940976" "4956761" "4958359" "4965533" "4972507" "4975592" "5019955" "5022046" "5053774" "5056107" "5079715" "5086292" "5090024" "5132985" "5136614" "5155481" "5166664" "5177767" "5179376" "5225994" "5228029" "5239575" "5243338" "5252967" "5270704" "5280498" "5280499" "5289497" "5307349" "5315531" "5381462" "5384712" "5387873" "5406495" "5416917" "5420799" "5432815" "5438329" "5448570" "5450088" "5452465" "5455544" "5457621" "5473322" "5475742" "5475867" "5491473" "5493287" "5495239" "5497424" "5511188" "5519388" "5526389" "5528597" "5539775" "5541589" "5553094" "5590179" "5602744" "5631636" "5691715" "5696765" "5715390" "5748104" "5751914" "5751961" "5754772" "5696501" "5778368" "5787437" "5790789" "5805712" "5808558" "5822521" "5862391" "5872774" "5874903" "5875183" "5875402" "5897607" "5898387" "5943375" "5963146" "6041056" "6078909" "6088659" "6112192" "6150955" "6160993" "6172616" "6199068" "6246677" "3455815" "3878512" "3976941" "4031513" "4132981" "4190800" "4218737" "4438485" "4497017" "4600923" "4607320" "4614945" "4622627" "4623960" "4631538" "4644321" "4653076" "4724435" "4749007" "4761775" "4840074" "506713	USPAT	OR	OFF	2005/12/08 17:48
9/5/06 11:09:19 AM C:\Documents and Settings\SP Patel\My Documents\EAST\Workspaces\10-803213.wsp					Page 5	

EAST Search History

S19	38	creat\$4 with dc with bias\$3 with voltage same power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:19
S20	3	desir\$3 with dc with bias\$3 with voltage and power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 19:19

EAST Search History

S22	114	S21 and meter	USPAT	OR	OFF	2005/12/08 17:48
S23	59	S21 and meter and battery	USPAT	OR	OFF	2005/12/08 17:48
S24	1	"20050206366"	US-PGPUB; USPAT	OR	OFF	2005/12/08 18:23
S25	0	dc adj bias adj voltage near ac adj voltahe	USPAT	OR	OFF	2005/12/08 18:39
S26	0	dc adj bias adj voltage near ac adj voltage	USPAT	OR	OFF	2005/12/08 18:39
S27	0	dc adj bias adj voltage near ac adj voltage	USPAT	OR	ON	2005/12/08 18:39
S28	0	dc adj bias adj voltage near2 ac adj voltage	USPAT	OR	ON	2005/12/08 18:39
S29	75	(dc adj bias adj voltage) near2 (ac adj voltage)	USPAT	OR	ON	2005/12/08 18:39
S30	36	(dc adj bias adj voltage) near (ac adj voltage)	USPAT	OR	ON	2005/12/08 18:39
S31	66	(meter and (bias adj voltage) and (ac adj voltage) and (swing\$4 or acceptable) and (power adj supply))	USPAT	OR	OFF	2006/09/01 18:01
S32	0	(meter and (bias adj voltage) and (ac adj voltage) and (swing\$4 or acceptable) and (power adj supply)).clm.	USPAT	OR	OFF	2006/09/01 15:37
S33	0	(meter and (bias adj voltage) and (ac adj voltage) and (swing\$4 or acceptable) and (power adj supply)).clm.	USPAT	OR	ON	2006/09/01 15:37
S34	0	(meter and (bias adj voltage) and (ac adj voltage) and (swing\$4 or acceptable) and (power adj supply)).clm.	US-PGPUB	OR	ON	2006/09/01 15:37
S35	24	(meter and (bias adj voltage) same (ac adj voltage) and (swing\$4 or acceptable) and (power adj supply))	USPAT	OR	OFF	2006/09/01 16:26
S36	4	(meter and (bias adj voltage) same (ac adj voltage) same (swing\$4 or acceptable) and (power adj supply))	USPAT	OR	OFF	2006/09/01 15:38
S37	0	(meter and (bias adj voltage) same (ac adj voltage) same (swing\$4 or acceptable) same (power adj supply))	USPAT	OR	OFF	2006/09/01 15:38
S38	58	(meter and (bias adj voltage) with (ac adj voltage) and (power adj supply))	USPAT	OR	OFF	2006/09/01 16:26

EAST Search History

S39	17	(meter and (dc adj bias adj voltage) with (ac adj voltage) and (power adj supply))	USPAT	OR	OFF	2006/09/01 16:26
S40	42	S31 not S35	USPAT	OR	OFF	2006/09/01 16:38
S41	1	(power adj supply) with bias\$4 with keep with ac with voltage	USPAT	OR	OFF	2006/09/01 17:40
S42	124	(power adj supply) with bias\$4 near2 ac with voltage	USPAT	OR	OFF	2006/09/01 17:50
S43	8	dc adj voltage with parallel with bias\$4 near2 ac with voltage	USPAT	OR	OFF	2006/09/01 17:51
S44	55	dc with parallel with bias\$4 with ac with voltage	USPAT	OR	OFF	2006/09/01 17:56
S45	6	S44 and meter	USPAT	OR	OFF	2006/09/01 17:53
S46	21	dc near2 parallel near2 ac with voltage	USPAT	OR	OFF	2006/09/01 18:00
S47	1	dc near2 parallel near2 ac with voltage with bias\$4	USPAT	OR	OFF	2006/09/01 18:00
S48	4	swing\$4 adj below with power adj supply	USPAT	OR	OFF	2006/09/01 18:15
S49	0	(dc adj2 bias) with ac near predetermin\$4 with power adj supply	USPAT	OR	OFF	2006/09/01 18:16
S50	0	(dc adj2 bias) with (ac near2 predetermin\$4) with power adj supply	USPAT	OR	OFF	2006/09/01 18:17
S51	0	(dc adj2 bias) with (ac near2 predetermin\$4) with (power adj supply)	USPAT	OR	OFF	2006/09/01 18:17
S52	33	(dc adj2 bias) with (predetermin\$4) with (power adj supply)	USPAT	OR	OFF	2006/09/01 18:25
S53	4	(ac adj2 bias) with (predetermin\$4) with (power adj supply)	USPAT	OR	OFF	2006/09/01 18:26
S54	296	(ac adj2 voltage) with (predetermin\$4) with (power adj supply)	USPAT	OR	OFF	2006/09/01 18:26
S55	13	(ac adj2 voltage) with (predetermin\$4) with (power adj supply) and meter	USPAT	OR	OFF	2006/09/01 18:49
S56	2	((("3319074") or ("4206367") or ("4206367")).PN.	USPAT	OR	OFF	2006/09/01 18:49
S57	7	("3225209").PN. OR ("4206367").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/01 18:54
S58	9	("3319074").URPN.	USPAT	OR	OFF	2006/09/01 18:55

EAST Search History

S59	7	(ac adj voltage with above with predetermined) and (power suply) and meter	USPAT	OR	OFF	2006/09/01 19:26
S60	9	(ac adj voltage with above with predetermined) and (power suply) and meter	USPAT	OR	ON	2006/09/01 19:28
S61	3	(ac adj voltage with above with predetermined) and (power suply) and meter	US-PGPUB	OR	ON	2006/09/01 19:26
S62	4	"6052050"	USPAT	OR	OFF	2006/09/01 19:30